



CHEVRON BANNER #001

in addition to this pattern, you will also need
a 20" dowel rod and backing fabric measuring approximately 18"x22" for the back of the piece
(that may or may not show depending on how you hang the banner)

1a

2a

3a

4a

5a

6a

7a

8a

9a

10a

11a

4b

3b

2b

1b

5b

6b

7b

8b

9b

10b

11b

BANNER INSTRUCTIONS:

- Tape together Page 2 & 3, and then Pages 4 & 5. Try not to place tape on any of the lines, it may cause issues while sewing.
- Piece sections A & B separately using basic paper piecing techniques, then line them up and sew them right down the middle.
- Place, and pin, the entire pieced banner face down on another piece of fabric and stitch around all the edges except the top using a 1/4" seam allowance.
 - Trim all of the corners down to help eliminate bulk.
 - Turn the entire piece inside out, and iron flat!
- You could lightly do a top stitch around the edge, or go all out and quilt the entire piece. All your choice.
- Once the piece is nice, flat and secure, turn the top edge down 1/4" towards the back. Iron the fold. Then turn it down another inch and iron. You can sew it in place with your machine where the stitches will show on the front (like mine) or you can hand sew it in place. Again, your choice!
- All that's left now is to add a dowel rod and tie on some string (or chain) of your choice!!